# Decorative Wall & Ceiling Linings

PRODUCT DATA SHEET



GP General Purpose Interior TIMBER



# **Primed FJ Pine**

#### **Profiles**

Riverine, Cirque, Strata, Shade, DAR.

### **Description**

Finger Jointed Pine is a cost effective solution for indoor applications. Manufactured as a knot-free paint grade Pine for ease of use, enhanced strength and stability.

#### **Visual Features**

Comprising lengths of clear wood joined end to end utilising a micro-sized finger joint employing an interior grade adhesive. Strength and potential overall length is increased through the glue-bonds. Can be painted after a light sand.

#### **Applications**

Easycraft General Purpose Interior Timbers are designed for interior walls and ceiling lining applications.

# **Fire Hazard Indices**

(Typically achieved when tested to AS/NZS 1530.3)

Indices	Result
Spread of Flame	7
Smoke Development Index	3

# **Fire Test Results**

Classification	Result
Group Number (AS 5637)	3
Average Specific Extinction Area	<250 m²/kg



## **Properties**

Specifications	Result
Density	550 Kg/m <sup>3</sup>
Specific Gravity	0.51
Hardness (Janka)	3.1 kN
Modulus of Rupture	81 Mpa
Modulus of Elasticity	10 GPa
Radial Shrinkage	3%

Specifications	Result
Tangential Shrinkage	5%
Durability in Ground	0-5 years
Durability Above Ground	0-7 years
Susceptible to Lyctid Borer	No
Termite Resistance	Not Resistant
Resistance to Split (Nailing)	Satisfactory

Specifications	Result
Resistance to Split (Screwing)	Satisfactory
Gluing	Satisfactory
Machining	Satisfactory
Finish	Satisfactory
Stability	Satisfactory
Growing Region	Globally

# **Contact Details**

For further information on this product, contact: 1300 650 787 sales@porta.com.au easycraft.com.au



Easycraft is a brand of Porta Products Pty Ltd. www.porta.com.au

#### Disclaimer

Whilst the information contained in this document is based on data which, to the best of our knowledge, was accurate and reliable at the time of preparation, we can accept no responsibility for errors and omissions. The provision of this information should not be construed as a recommendation to use any of our products in violation of any patent rights or breach of any statute or regulation. Users are advised to make their own determination as to the suitability of this information in relation to their particular purposes and specific circumstances. Since the information contained in this document may be applied under condition beyond our control, we can accept no responsibility for any loss or damage caused by any person acting or refraining from action as a result of this information.